CLAIM AMENDMENTS

21. (Currently Amended) Portable apparatus for deep vein thrombosis (DVT) prophylaxis, comprising:

a substantially inelastic outer <u>rigid</u> shell having an inner wall, the shell being dimensioned for wearing around a portion of a human limb;

an inflatable/deflatable bladder supported between the inner wall of the outer shell and the portion of a human limb; and

battery-operated electrical and pneumatic circuitry, all wearable by the user without interconnection to any other apparatus, the electrical circuitry including:

an electrically operated air compressor, and

a controller operative to inflate the bladder on periodic basis so as to create a level of compression against the portion of the limb for a period of time, after which the bladder deflates until the next compression cycle.

22. - 23. (Canceled)

- 24. The apparatus of claim 21, wherein the controller is operative to reduce the rate of cycling between compression and decompression as a function of time.
- 25. The apparatus of claim 24, wherein the reduction in cycling between compression and decompression drops off slowly over the course of several days.
- 26. The apparatus of claim 25, wherein the rate of cycling between compression and decompression gradually reduces to one cycle every several minutes.
- 27. The apparatus of claim 25, wherein the rate of cycling between compression and decompression gradually reduces to one cycle every hour or longer.

The apparatus of claim 21, further including a user operable control for switching 28. between a fixed rate of compression and decompression to an automatic mode wherein the cycling between compression and decompression reduces over time.

29. The apparatus of claim 21, further including a pressure sensor in pneumatic communication with the bladder to terminate the operation of the compressor upon reaching a desired level of positive pressure.

280 N. OLD WOODWARD AVENUE, STE. 400, BIRMINGHAM, MICHIGAN 48009-5394 (248) 647-6000

- The apparatus of claim 29, further including a valve for deflating the bladder upon 30. achieving a predetermined pressure.
- 31. The apparatus of claim 21, wherein the substantially inelastic outer shell forms part of a cast.
- 32. The apparatus of claim 21, wherein the substantially inelastic outer shell is dimensioned for wearing around an upper portion of a human calf.
- 33. The apparatus of claim 21, wherein the substantially inelastic outer shell is dimensioned for wearing around a lower portion of the human calf immediately above a human foot.
- The apparatus of claim 21, wherein the substantially inelastic outer shell is dimensioned 34. for wearing at least a portion of a human foot.
 - 35. The apparatus of claim 21, wherein the substantially inelastic outer shell is dimensioned for wearing around at least a portion of a human hand.
 - 36. The apparatus of claim 21, wherein the substantially inelastic outer shell is substantially

37. The apparatus of claim 21, wherein the substantially inelastic outer shell is composed of a non-stretch fabric.

38. - 44. (Canceled)

45. (Previously Presented) Portable apparatus for deep vein thrombosis (DVT) prophylaxis, comprising:

a substantially inelastic outer shell having an inner wall, the shell being dimensioned for wearing around a portion of a human limb;

an inflatable/deflatable bladder supported between the inner wall of the outer shell and the portion of a human limb; and

battery-operated electrical and pneumatic circuitry, all wearable by the user without interconnection to any other apparatus, the electrical circuitry including:

an electrically operated air compressor, and

- a controller operative to perform the following functions:
- a) inflate the bladder on periodic basis so as to create a level of compression against the portion of the limb for a period of time, after which the bladder deflates until the next compression cycle, and
 - b) vary the level of compression as a function of time.
- 46. (Previously Presented) The apparatus of claim 45, wherein the controller is further operative to reduce the rate of cycling between compression and decompression as a function of time.
- 47. (Previously Presented) The apparatus of claim 45, further including a user operable control for switching between a fixed rate of compression and decompression to an automatic mode wherein the cycling between compression and decompression reduces over time.
- 48. (Previously Presented) Portable apparatus for deep vein thrombosis (DVT) prophylaxis, comprising:

40906sh

a substantially inelastic outer shell having an inner wall, the shell being dimensioned for wearing around a portion of a human limb;

an inflatable/deflatable bladder supported between the inner wall of the outer shell and the portion of a human limb; and

battery-operated electrical and pneumatic circuitry, all wearable by the user without interconnection to any other apparatus, the electrical circuitry including:

an electrically operated air compressor, and

- a controller operative to perform the following functions:
- a) inflate the bladder on periodic basis so as to create a level of compression against the portion of the limb for a period of time, after which the bladder deflates until the next compression cycle, and
 - b) vary the onset of decompression as a function of time.
- 49. (Previously Presented) The apparatus of claim 48, wherein the controller is further operative to reduce the rate of cycling between compression and decompression as a function of time.
- 50. (Previously Presented) The apparatus of claim 48, further including a user operable control for switching between a fixed rate of compression and decompression to an automatic mode wherein the cycling between compression and decompression reduces over time.